Ifng-Venus-Luc

系統名	C57BL/6Smoc- <i>Ifng</i> ^{em1(IRES-Venus-Luci)Smoc}	
SMOC番号	NM-KI-18041	
維持形態	Embryo cryopreservation	

遺伝子の概要

Gene Symbol Ifng	Synonyms	lfg IFN-gamma
	NCBI ID	<u>15978</u>
	MGI ID	<u>107656</u>
	Ensembl ID	ENSMUSG0000055170
	Human Ortholog	IFNG

説明

An IRES-Venus-Luci co-expression cassette was inserted in 3'UTR region of Ifng gene. *Literature published using this strain should indicate: Ifng-Venus-Luc mice (Cat. NO. NM-KI-18041) were purchased from Shanghai Model Organisms Center, Inc..

表現型デロタ






Fig1.MC38-OVA tumor volumes in Ifng-Venus-Luci reporter mice treated or not with anti-PD-1 mAb. Arrows indicate treatment days.




Fig2. In vivo imaging validation of MC38-OVA tumors in Ifng-Venus-Luci reporter mice treated or not with anti-PD-1 mAb.

In PBS treated control tumor, the IFNy signal increased as the tumor growing. In anti-PD1 treated tumor, increased average BLI (Bioluminescent imaging) of IFNy was shown 48h post the first dose compared to control group; as the tumor regression upon PD1 treatment, the IFNy signal in tumor decreased as well.

The data is provided by Crownbio.

