

# Sirt1-Flox

**系統名** C57BL/6Smoc-*Sirt1*<sup>tm1(flox)Smoc</sup>

**SMOC番号** NM-CKO-190037

**維持形態** Repository Live

## 遺伝子の概要

<b>Gene Symbol</b> <b>Sirt1</b>	<b>Synonyms</b>	Sir2, Sir2a, SIR2L1, AA673258, Sir2alpha
	<b>NCBI ID</b>	<a href="#">93759</a>
	<b>MGI ID</b>	<a href="#">2135607</a>
	<b>Ensembl ID</b>	<a href="#">ENSMUSG00000020063</a>
	<b>Human Ortholog</b>	SIRT1

## 説明

These mice carry loxP sites flanking exon3 of Sirt1 gene. When crossed with a Cre recombinase-expressing strain, this strain is useful in eliminating tissue-specific conditional expression of Sirt1 gene.

**応用分野:** Epigenetic

\*Literature published using this strain should indicate: Sirt1-Flox mice (Cat. NO. NM-CKO-190037) were purchased from Shanghai Model Organisms Center, Inc..

## 病気の予測

<b>Fatty Liver Disease</b>	<b>表現型</b>	<a href="#">MGI:5305254</a> Note: The expected phenotype(s) may be observed in the above-mentioned mice that bred with Alb1-cre mice.
	<b>参考文献</b>	Wang RH, Li C, Deng CX, Liver steatosis and increased ChREBP expression in mice carrying a liver specific SIRT1 null mutation under a normal feeding condition. Int J Biol Sci. 2010;6(7):682-90

## 表現型データ

No data

---