Myf5-Cre

系統名	C57BL/6Smoc- <i>Myf5</i> ^{em1(Cre-WPRE-polyA)Smoc}	
SMOC番号	NM-KI-200147	
維持形態	Sperm cryopreservation	

遺伝子の概要

Gene Symbol Myf5	Synonyms	Myf-5; bHLHc2; B130010J22Rik
	NCBI ID	<u>17877</u>
	MGI ID	<u>97252</u>
	Ensembl ID	ENSMUSG000000435
	Human Ortholog	MYF5

説明

A Cre-WPRE-polyA expression cassette was knocked into the Myf5 gene start codon site. Myogenic factor 5 (Myf5) belongs to the MRF family transcription factors that regulate myogenesis. It is expressed in the skeletal muscle and satellite cells. Severe loss of skeletal muscle following ablation of Myf5-expressing progenitors. This strain is useful in studying the differentiation of skeletal muscle.

応用分野: Cre recombinase tool

*Literature published using this strain should indicate: Myf5-Cre mice (Cat. NO. NM-KI-200147) were purchased from Shanghai Model Organisms Center, Inc..

表現型デロタ





Merged




Fig. 1 Cre-mediated recombination in the skeletal muscle of Myf5^{Cre/+}; Rosa26^{tdTomato/+} mouse. TdTomato(red) expression can be detected in the muscle cells of Myf5^{Cre/+}; Rosa26^{tdTomato/+} mouse.




Fig. 2 Detection of tdTomato(red) in various tissues of Myf5^{Cre/+}; Rosa26^{tdTomato/+} mice. Tdtomato was expressed in the skeletal muscle. TdTomato can also be detected in individual cells of the brain, pituitary gland, eyes, salivary gland, heart, liver, spleen, lung, kidney, colon, intestine, stomach, pancreas, reproductive system and skin. (For more detailed information please contact



our technical advisor.)