

# Lepr-Flox

**系統名** C57BL/6Smoc-*Lepr*<sup>em1(flox)Smoc</sup>

**SMOC番号** NM-CKO-200116

**維持形態** Repository Live

## 遺伝子の概要

<b>Gene Symbol</b>  Lepr	<b>Synonyms</b>	db; Obr; obl; Leprb; Modb1; LEPROT; OB-RGRP; diabetes; obese-like
	<b>NCBI ID</b>	<a href="#">16847</a>
	<b>MGI ID</b>	<a href="#">104993</a>
	<b>Ensembl ID</b>	<a href="#">ENSMUSG00000057722</a>
	<b>Human Ortholog</b>	LEPR

## 説明

These mice carry loxP sites flanking exon 4 of Lepr gene. When crossed with a Cre recombinase-expressing strain, this strain is useful in eliminating tissue-specific conditional expression of Lepr gene.

**応用分野:** Research on Development Leptin signal transduction through JAK/STAT and MAPK cascade and peptide ligand binding receptor

\*Literature published using this strain should indicate: Lepr-Flox mice (Cat. NO. NM-CKO-200116) were purchased from Shanghai Model Organisms Center, Inc..

## 病気の予測

<b>Polycystic Ovary Syndrome</b>	<b>表現型</b>	<a href="#">MGI:5471586</a> Note: The expected phenotype(s) may be observed in the above-mentioned mice that bred with Insr-Flox(NM-CKO-200189) and Pomc1-cre mice.
	<b>参考文献</b>	Marino JS, Iler J, Dowling AR, Chua S, Bruning JC, Coppari R, Hill JW. Adipocyte dysfunction in a mouse model of polycystic ovary syndrome (PCOS): evidence of adipocyte hypertrophy and tissue-specific inflammation. PLoS One. 2012;7(10):e48643

## 表現型データ

No data