

# Pdgfrb-Flox

**系統名** C57BL/6Smoc-*Pdgfrb*<sup>tm1(flo)Smoc</sup>

**SMOC番号** NM-CKO-200204

**維持形態** Sperm cryopreservation

## 遺伝子の概要

<b>Gene Symbol</b> <b>Pdgfrb</b>	<b>Synonyms</b>	Pdgfr, CD140b, PDGFR-1, AI528809
	<b>NCBI ID</b>	<a href="#">18596</a>
	<b>MGI ID</b>	<a href="#">97531</a>
	<b>Ensembl ID</b>	<a href="#">ENSMUSG00000024620</a>
	<b>Human Ortholog</b>	PDGFRB

## 説明

These mice carry loxP sites flanking exon 3-7 of Pdgfrb gene. When crossed with a Cre recombinase-expressing strain, this strain is useful in eliminating tissue-specific conditional expression of Pdgfrb gene.

**応用分野:** RET signal transduction and B cell receptor (BCR) downstream signal transduction events related research

\*Literature published using this strain should indicate: Pdgfrb-Flox mice (Cat. NO. NM-CKO-200204) were purchased from Shanghai Model Organisms Center, Inc..

## 病気の予測

<b>Autism Spectrum Disorder</b>	<b>表現型</b>	<a href="#">MGI:5790635</a> Note: The expected phenotype(s) may be observed in the above-mentioned mice that bred with Nes-cre mice.
	<b>参考文献</b>	Nakamura T, Matsumoto J, Takamura Y, Ishii Y, Sasahara M, Ono T, Nishijo H, Relationships among parvalbumin-immunoreactive neuron density, phase-locked gamma oscillations, and autistic/schizophrenic symptoms in PDGFR-beta knock-out and control mice. PLoS One. 2015;10(3):e0119258

## 表現型データ

No data