

HBV-Tg

系統名	B6.Cg-Tg(HBV)Smoc
SMOC番号	NM-TG-00003
維持形態	Repository Live

遺伝子の概要

Gene Symbol	Synonyms	Hepatitis B virus isolate C8 complete genome
	NCBI ID	<u>AF461363</u>
	MGI ID	Null
	Ensembl ID	Null

説明

Full-length HBV genome (adrsubtype,C genotype) was used to establish the transgenic mice. HBsAg was positive in transgenic mice serum; no serum HBeAg anti-HBs, anti-HBe, or antiHBc was detected. No anti-HBs or anti-HBe was detected in the polyethylene gly.

応用分野: HBV

*Literature published using this strain should indicate: HBV-Tg mice (Cat. NO. NM-TG-00003) were purchased from Shanghai Model Organisms Center, Inc..

表現型デロタ






Fig1. Immuno-histochemical staining of HBsAg in the liver and kidney sections of #59 transgenic mice. Sections of liver (A) or kidney (B) tissues from #59 transgenic mice were stained for HBsAg.




Fig2. Immuno-histochemical staining of HBcAg in the liver and kidney sections of #59 transgenic mice.

Sections of liver (A) or kidney (B) tissues from #59 transgenic mice were stained for HBcAg.



Gene	Microarray ^a	Real-time PCR ^a
Complement component 3 (C3)	32	251
C-reactive protein (CRP)	48	>1,000
Fibrinogen (FGG)	60	138
FBJ osteosarcoma oncogene (Fos)	-8	-5
Mannose binding lectin (MBL2)	128	192
Mitochondrial ribosomal	-6	1
protein L15 (Mrpl15)		
Plasminogen (PLG)	446	1,000
Serum amyloid A 1 and 2 (Saa1 and 2)	60	287

^aThe numbers represent the folds of mRNA of the genes being up- or down-regulated.

Tab1. Eight Selected Genes From the Kidney of #59 Mice Assayed by Microarray and Real-Time PCR




Fig3. Dot blot immunoassay of complement C3 component in mouse serum and kidney tissue extract.

出版物

Expression of hepatitis B virus proteins in transgenic mice alters lipid metabolism and induces oxidative stress in the liver References: JOURNAL OF HEPATOLOGY

An Altered Pattern of Liver Apolipoprotein A-I Isoforms Is Implicated in Male Chronic Hepatitis B Progression References: ACS Publications

Hepatitis B virus (HBV) surface antigen interacts with and promotes cyclophilin a secretion:

Shanghai Model Organisms Center, Inc.



possible link to pathogenesis of HBV infection References: Journal of Virology

<u>Proteomic analysis of hepatitis B surface antigen positive transgenic mouse liver and decrease of</u> <u>cyclophilin A</u>

References: Journal of Medical Virology

<u>Transcriptional analysis of immune-related genes in dendritic cells from hepatitis B surface</u> <u>antigen (HBsAg)-positive transgenic mice and regulation of Fc gamma receptor IIB by HBsAg-</u> <u>anti-HBs complex</u>

References: Journal of Medical Virology