

Hexb-KO

系統名	C57BL/6Smoc- <i>Hexb</i> ^{em1smoc}
SMOC番号	NM-KO-202069
維持形態	Sperm cryopreservation

遺伝子の概要

Gene Symbol <i>Hexb</i>	Synonyms	
	NCBI ID	15212
	MGI ID	96074
	Ensembl ID	ENSMUSG00000021665
	Human Ortholog	HEXB

説明

Exon 2 of *Hexb* gene was deleted to generate *Hexb* knockout mice.

*Literature published using this strain should indicate: *Hexb*-KO mice (Cat. NO. NM-KO-202069) were purchased from Shanghai Model Organisms Center, Inc..

病気の予測

Sly Syndrome	表現型	MGI:2177551 Note: The expected phenotype(s) may be observed in the above-mentioned mice that bred with Hexa-KO(NM-KO-200986) mice.
	参考文献	Sango K, McDonald MP, Crawley JN, Mack ML, Tifft CJ, Skop E, Starr CM, Hoffmann A, Sandhoff K, Suzuki K, Proia RL, Mice lacking both subunits of lysosomal beta-hexosaminidase display gangliosidosis and mucopolysaccharidosis. Nat Genet. 1996 Nov;14(3):348-52

Sandhoff Disease	表現型	MGI:3579384 Note: The expected phenotype(s) may be observed in the above-mentioned mice that bred with Fcer1g-KO(NM-KO-190187) mice.
	参考文献	Yamaguchi A, Katsuyama K, Nagahama K, Takai T, Aoki I, Yamanaka S, Possible role of autoantibodies in the pathophysiology of GM2 gangliosidoses. J Clin Invest. 2004 Jan;113(2):200-8
Sandhoff disease	表現型	MGI:3579804 Note: The expected phenotype(s) may be observed in the above-mentioned mice that bred with Ccl3-KO(NM-KO-190014) mice.
	参考文献	Wu YP, Proia RL, Deletion of macrophage-inflammatory protein 1 alpha retards neurodegeneration in Sandhoff disease mice. Proc Natl Acad Sci U S A. 2004 Jun 1;101(22):8425-30
Sandhoff disease	表現型	MGI:2177468
	参考文献	Sango K, Yamanaka S, Hoffmann A, Okuda Y, Grinberg A, Westphal H, McDonald MP, Crawley JN, Sandhoff K, Suzuki K, Proia RL, Mouse models of Tay-Sachs and Sandhoff diseases differ in neurologic phenotype and ganglioside metabolism. Nat Genet. 1995 Oct;11(2):170-6

表現型データ

No data